

Updated 1/20/10

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency $\geq 40\%$ per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency $\geq 60\%$ per ASTM F1639. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
Alto-Shaam (www.alto-shaam.com)	Combitherm	ML7-14	Gas	54%	15,700	19.0	6-10ESG 7-14GASML 7-14ESG 7-14ML 10-10ESG 10-20ESG 12-18ESG 20-20ESG	\$750
Blodgett (www.blodgett.com)	Blodgett	BCX-14G	Gas	40%	35,666	1.5	-	\$750
Blodgett (www.blodgett.com)	Blodgett	BX-14G	Gas	51%	13,480	0.5	-	\$750
Cleveland (www.clevelandrange.com)	Convotherm with Generator	OGB-6.20	Gas	67%	4,562	18.3	OGB-6.10 OGB-10.10 OGB-10.20 OGB-12.20 OGB-20.10 OGB-20.20	\$750
Cleveland (www.clevelandrange.com)	Convotherm Boilerless	OGS-6.20	Gas	49%	10,530	18.3	OGS-6.10 OGS-10.10 OGS-10.20 OGS-12.20 OGS-20.10 OGS-20.20	\$750

Note: Data based on applying ASTM F1639-revised July 2008
N/A = Data Not Available

Updated 1/20/10

Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency $\geq 40\%$ per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency $\geq 60\%$ per ASTM F1639. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
Electrolux (professional.electroluxusa.com)	Air-O-Steam	O 260148	Gas	45%	16,456	26.6	O 260149 O 260150 O 260151 O 260152	\$750
Eloma (www.eloma.com)	Genius	T 611	Gas	50%	N/A	0.8	T 1011 T 12-21 T 2011 T 2022	\$750
Henny Penny (www.hennypenny.com)	ClassicCombi	GCC-61	Gas	56%	10,176	4.5	GCC-11 GCC-12 GCC-21 GCC-22 GCC-62	\$750
Henny Penny (www.hennypenny.com)	SmartCombi	GSC-61	Gas	53%	12,285	5.7	GSC-11 GSC-12 GSC-21 GSC-22 GSC-62	\$750
Lainox (www.lainox.com)	The Cube	MG 102	Gas	45%	80,813	17.5	MG 061 MG 101 MG 201 MG 202	\$750

Note: Data based on applying ASTM F1639-revised July 2008
N/A = Data Not Available

Updated 1/20/10


Qualifying gas models must have a heavy-load (chicken) cooking-energy efficiency $\geq 40\%$ per ASTM F1639. Qualifying electric models must have a heavy-load (chicken) cooking-energy efficiency $\geq 60\%$ per ASTM F1639. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
Piper Products (www.piperonline.net)	Chef System	MG 102	Gas	45%	80,813	17.5	MG 061 MG 101 MG 201 MG 202	\$750
Rational (www.rationalusa.com)	SelfCooking Center	SCC 62G	Gas	50%	34,260	19.8	SCC 61G SCC 101G SCC 102G SCC 201G SCC 202G	\$750

Note: Data based on applying ASTM F1639-revised July 2008
N/A = Data Not Available

Updated 1/20/10

Qualifying models must meet ENERGY STAR® specification. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.


 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Additional Models Represented	Rebate (per cavity)*
Blodgett (www.blodgett.com)	-	DFG100	Gas	44%	12,160	DFG100 Double	\$500
Blodgett (www.blodgett.com)	-	DFG200	Gas	44%	12,280	DFG200 Double	\$500
Blodgett (www.blodgett.com)	Zephaire-G	Zephaire-G	Gas	44%	12,283	Zephaire-G Double	\$500
Blodgett (www.blodgett.com)	Zephaire-240G Plus	Zephaire-240G Plus	Gas	44%	10,959	-	\$500
Duke Manufacturing (www.dukemfg.com)	613 Series	613-G1	Gas	54%	12,280	613-G2 613Q-G1 613Q-G2	\$500
Duke Manufacturing (www.dukemfg.com)	E Series	E101-G	Gas	55%	12,091	E102-G	\$500
Hobart (www.hobartcorp.com)	DGC5 Series	DGC5	Gas	46%	11,850	DGC5	\$500
Hobart (www.hobartcorp.com)	HGC Series	HGC5	Gas	46%	11,850	HGC502	\$500
Moffat (www.moffat.com)	TurboFan	G32MS	Gas	47%	12,300	-	\$500
Montague (www.montaguecompany.com)	Vectaire HX	HX-63A	Gas	44%	12,900	HX2-63	\$500
Royal Range (www.royalranges.com)	-	RCOS-1	Gas	45%	12,540	RCOS-2	\$500
Southbend (www.southbendnc.com)	Bronze Series	BG-12	Gas	47%	12,145	BG-22	\$500
Southbend (www.southbendnc.com)	Marathoner Gold	GS-15	Gas	46%	12,145	GS-25	\$500
Southbend (www.southbendnc.com)	Silver Star	SLGS-12	Gas	46%	12,145	SLGS-22	\$500
Vulcan (www.vulcanhart.com)	SG Series	SG4D	Gas	48%	11,360	SG44D	\$500

Note: Data based on applying ASTM F-1496
N/A = Data Not Available

*Rebate amount is calculated per oven cavity.
Double-stacked ovens qualify for a double rebate.

Updated 1/20/10

Qualifying models must meet ENERGY STAR® specification. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Additional Models Represented	Rebate (per cavity)*
Vulcan (www.vulcanhart.com)	VC Series	VC4G	Gas	47%	11,850	VC44G VC4GD VC44GD	\$500
Vulcan (www.vulcanhart.com)	VC Series	VC6G	Gas	46%	11,097	VC66G VC6GD VC66GD	\$500
Wolf (www.wolfrange.com)	WKG Series	WKGD1	Gas	46%	11,850	WKGD2	\$500
Wolf (www.wolfrange.com)	WLGO Series	WLGO	Gas	46%	11,850	WLGO2	\$500

Note: Data based on applying ASTM F-1496
N/A = Data Not Available

*Rebate amount is calculated per oven cavity.
Double-stacked ovens qualify for a double rebate.

Updated 1/27/10

Qualifying gas models must have a heavy-load baking-energy efficiency $\geq 50\%$ per ASTM F2093. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h)	Additional Models Represented	Rebate (per oven)
Adamatic Corporation (www.adamatic.com)	Adamatic	PRO2G	Gas	50	37,852	-	\$2,000
Baxter (www.baxtermfg.com)	Baxter	BXA2G	Gas	56	32,321	-	\$2,000
Baxter (www.baxtermfg.com)	Baxter	OV500G2	Gas	57	30,291	-	\$2,000
Sveba-Dahlen (www.sveba-dahlen.se)	Dahlen	V42	Gas	52	28,292	-	\$2,000
Gemini Bakery Equipment, Co. (www.geminibe.com)	Gemini	V42	Gas	52	28,292	-	\$2,000
LBC Bakery Equipment (www.langbakery.com)	LBC	LRO-2G	Gas	54	23,485	-	\$2,000
Hobart (www.hobartcorp.com)	Hobart	HBA-2G	Gas	56	32,321	-	\$2,000
Revent (www.revent.se)	Revent	724	Gas	62	26,030	-	\$2,000
TMB Baking (www.tmbbaking.com)	TMB Baking	XL2	Gas	53	35,890	-	\$2,000

Note: Data based on applying ASTM F-2093
 N/A = Data Not Available

Qualified Conveyor Ovens

Updated 1/4/10

Qualifying gas models must have a heavy-load cooking-energy efficiency $\geq 42\%$ per ASTM F1817. Small conveyor ovens with total conveyor width of < 25 -in. must also have an idle energy rate of $\leq 29,000$ Btu/h. Large conveyor ovens with total conveyor width of > 25 -in. must also have an idle energy rate of $\leq 57,000$ Btu/h. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.


Company Name (Website)	Model Name	Model Number	Conveyor Width (in.)	Fuel Type	Energy Efficiency (%)	Idle Rate (Btu/h)	Rebate (per oven)*
Middleleby (www.middleleby.com)	-	PS570	32	Gas	47.4	40,600	\$750
	WOW	PS670	32	Gas	47.8	37,465	\$750
	WOW	PS770	32	Gas	47.8	37,465	\$750
	WOW	PS870	32	Gas	47.8	37,465	\$750
XLT (www.xltovens.com)	Quiet Fire	XLT 3255-TS3	32	Gas	42.0	41,700	\$750
	Quiet Fire	XLT 3855-TS3	38	Gas	45.4	45,004	\$750
	Quiet Fire	XLT 3270-TS3	32	Gas	46.9	46,017	\$750
	Quiet Fire	XLT 3870-TS3	38	Gas	43.9	56,500	\$750

Note: Data based on applying ASTM F-1817

N/A = Data Not Available

Updated 1/20/10

Qualifying models must meet ENERGY STAR® specification. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.


 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
Alto-Shaam (www.alto-shaam.com)	-	ASF-60G	Gas	66	4,072	82	\$500
Dean (dean.enodis.com)	Decathlon	HD*50G	Gas	52	8,386	72	\$500
Frymaster (www.frymaster.com)	-	BIH*55	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	FPH50	Gas	50	6,400	57	\$500
Frymaster (www.frymaster.com)	-	BK55C	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	BK55RC	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	BK*55C	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	BK*55RC	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	BKFP*55C	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	BKFP*55RC	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	Protector™	FPGL*30	Gas	56	4,382	68	\$500
Frymaster (www.frymaster.com)	LOV	BIGLA*30	Gas	56	4,382	68	\$500
Frymaster (www.frymaster.com)	-	H55	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	H*55	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	MJH*50	Gas	50	6,400	57	\$500
Frymaster (www.frymaster.com)	-	MPH*55	Gas	55	5,604	69	\$500
Frymaster (www.frymaster.com)	-	PMJH*50	Gas	50	6,400	57	\$500

Note: Data based on applying ASTM F1361
N/A = Data Not Available

*Denotes the number of fryers in a fryer battery.
Rebates are paid per qualifying vat for multi-vat configurations.

Updated 1/20/10

Qualifying models must meet ENERGY STAR® specification. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.


 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
Frymaster (www.frymaster.com)	-	YSCFH*14G	Gas	52	8,386	72	\$500
Henny Penny (www.hennypenny.com)	-	OFG-32*	Gas	50	7,040	62	\$500
Henny Penny (www.hennypenny.com)	-	OGA-32*	Gas	50	7,040	62	\$500
Henny Penny (www.hennypenny.com)	-	LVG	Gas	54	5,790	64	\$500
Henny Penny (www.hennypenny.com)	Evolution Elite	EEG-14*	Gas	54	5,790	64	\$500
Keating (www.keatingofchicago.com)	Incredible Frying Machine	IFM 14	Gas	57	4,700	57	\$500
Paloma (http://www.palomaindustries.com/pl/)	-	PF-*S	Gas	62	3,420	62	\$500
Pitco (www.pitco.com)	-	MGII	Gas	54	8,510	67	\$500
Pitco (www.pitco.com)	-	SGC	Gas	51	4,899	55	\$500
Pitco (www.pitco.com)	-	SGH50	Gas	54	8,510	67	\$500
Pitco (www.pitco.com)	-	BKSGH50SPC	Gas	54	8,510	67	\$500
Pitco (www.pitco.com)	-	SSH55 SFSSH55 SSHF55	Gas	55	8,140	72	\$500
Pitco (www.pitco.com)	-	SSH55R SFSSH55R SSHF55R	Gas	53	8,900	N/A	\$500
Pitco (www.pitco.com)	-	SSH60 SFSSH60 SSHF60	Gas	59	8,705	76	\$500

Note: Data based on applying ASTM F1361
N/A = Data Not Available

*Denotes the number of fryers in a fryer battery.
Rebates are paid per qualifying vat for multi-vat configurations.

Updated 1/20/10

Qualifying models must meet ENERGY STAR® specification. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

	Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
	Pitco (www.pitco.com)	-	SSH60R SFSSH60R SSHF60R	Gas	52	8,446	74	\$500
	Ultrafryer Systems (www.ultrafryer.com)	Par 3	C-P30-14	Gas	60	4,120	60	\$500
	Ultrafryer Systems (www.ultrafryer.com)	-	PD-14	Gas	N/A	N/A	N/A	\$500
	Ultrafryer Systems (www.ultrafryer.com)	Par 3	F-P30-14 B-P30-14	Gas	65	4,180	73	\$500
	Ultrafryer Systems (www.ultrafryer.com)	Par 3	PDEX 1V 1-14	Gas	65	4,180	73	\$500

Note: Data based on applying ASTM F1361
N/A = Data Not Available

*Denotes the number of fryers in a fryer battery.
Rebates are paid per qualifying vat for multi-vat configurations.

Updated 1/20/10

Qualifying gas models must have a heavy-load (French fry) cooking-energy efficiency $\geq 50\%$ per ASTM F2144. Qualifying electric models must have a heavy-load (French fry) cooking-energy efficiency $\geq 80\%$ per ASTM F2144. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Vat Width (in.)	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Rebate (per vat)*
Alto-Shaam (www.alto-shaam.com)	-	ASF-75G	22	Gas	71	4,825	\$500
Dean (dean.enodis.com)	-	HDx60G	18	Gas	52	10,242	\$500
Henny Penny (www.hennypenny.com)	-	OGA-34*	18	Gas	51	23,652	\$500
Henny Penny (www.hennypenny.com)	-	OFG-34*	18	Gas	51	23,652	\$500
Pitco (www.pitco.com)	-	SGM24 SFSGM24 SGMF24	24	Gas	52	15,356	\$500
Pitco (www.pitco.com)	-	SSH60W SFSSH60W SSHF60W	18	Gas	57	10,669	\$500
Pitco (www.pitco.com)	-	SSH75 SFSSH75 SSHF75	18	Gas	61	11,226	\$500
Pitco (www.pitco.com)	-	SSH75R SFSSH75R SSHF75R	18	Gas	56	11,819	\$500
Ultrafryer Systems (www.ultrafryer.com)	Par 2	F-P20-18 B-P20-18	18	Gas	59	6,281	\$500
Ultrafryer Systems (www.ultrafryer.com)	Par 2	F-P20-20 B-P20-20	20	Gas	60	5,806	\$500
Ultrafryer Systems (www.ultrafryer.com)	Par 2.5	F-P25-18 B-P25-18	18	Gas	59	5,710	\$500
Ultrafryer Systems (www.ultrafryer.com)	Par 3	F-P30-18 B-P30-18	18	Gas	61	5,993	\$500
Ultrafryer Systems (www.ultrafryer.com)	Par 4	P40-18	18	Gas	74	4,909	\$500


Note: Data based on applying ASTM F2144
N/A = Data Not Available

*Denotes the number of fryers in a fryer battery.
Rebates are paid per qualifying vat for multi-vat configurations.

Updated 1/20/10

Qualifying models must meet ENERGY STAR® specification.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.


 Company Name (Website)	Brand Name	Model Name	Model Number (all sizes)	Fuel Type	Energy Efficiency (%)	Idle Energy Rate* (Btu/h/ft ² or W/ft ²)	Production Capacity (lb/h/ft ²)	Rebate (per unit)
AccuTemp (www.accutemp.net)	AccuTemp	Accu-Steam	GG	Gas	47	2,534	7.1	\$125
AccuTemp (www.accutemp.net)	AccuTemp	Accu-Steam	PGF	Gas	47	2,562	7.0	\$125
Garland (www.garland-group.com)	Garland	-	CG	Gas	41	2,329	6.2	\$125
Garland (www.garland-group.com)	Garland	Master Series Xpress Grill	XG	Gas	51	1,538	14.5	\$125
Jade (www.jaderange.com)	Jade	Supreme	JGT	Gas	40	2,588	6.6	\$125
Vulcan (www.vulcanhart.com)	Vulcan	Rapid Recovery	RRG	Gas	41	2,518	8.2	\$125
Wolf (www.wolfrange.com)	Wolf	Therm-O-Ray	IRG	Gas	42	2,483	7.2	\$125

Data based on applying ASTM F1275
N/A = Data Not Available

*Idle rate and production capacity normalized per square foot of cooking surface

Updated 1/20/10

Qualifying models must meet ENERGY STAR® specification. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 Company Name (Website)	Model Name	Model Number	Steamer Type	Pan Capacity	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Water Use (gph)	Rebate (per unit)
Cleveland (www.clevelandrange.com)	SteamChef 3	22CGT3.1	Boilerless	3 pan	Gas	38	2,800	N/A	N/A	\$2,000
Cleveland (www.clevelandrange.com)	SteamChef 6	22CGT6.1	Boilerless	6 pan	Gas	41	3,000	N/A	N/A	\$2,000
Cleveland (www.clevelandrange.com)	Gemini	24CGA6.2SES	Steam Generator	6 pan	Gas	39	3,709	N/A	N/A	\$2,000
Cleveland (www.clevelandrange.com)	Gemini	24CGA10.2ES	Steam Generator	10 pan	Gas	45	3,711	N/A	N/A	\$2,000
Intek (www.intekllc.com)	Xtreme Steam	XSG-5	Boilerless	5 pan	Gas	49	7,027	96	< 3.0	\$2,000
Market Forge (www.mfii.com)	Eco Tech Plus	ETP-5G	Steam Generator	5 pan	Gas	40	3,000	91	N/A	\$2,000
Market Forge (www.mfii.com)	Eco Tech Plus	ETP-10G	Steam Generator	10 pan	Gas	40	5,766	182	7.5	\$2,000
Stellar (www.stellarfoodequipment.com)	Sirius II	Sirius 6	Boilerless	6 pan	Gas	45	1,176	84	< 2.0	\$2,000

Note: Data based on applying ASTM F1484
 N/A = Data Not Available