

Qualified Rack Ovens

Updated 5/11/2012

Qualifying gas single rack oven models must meet or exceed baking energy efficiency of $\geq 50\%$ utilizing ASTM Standard F2093.

Qualifying gas double rack oven models must meet or exceed baking energy efficiency of $\geq 50\%$ utilizing ASTM Standard F2093.

Check your utility rebate application for terms and conditions, and effective program dates.

Company Name	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Rate (Btu/h)	Production Capacity (lb/h)	Additional Models Represented	Rebate (per oven)
Adamatic Corporation	Adamatic	PRO2G	Gas	50	37,852	261	-	\$2000
Baxter	Baxter	BXA2G	Gas	56	32,321	288	-	\$2000
Baxter	Baxter	OV500G2	Gas	56	32,321	288	-	\$2000
Baxter	Baxter	OV500G2-EE	Gas	55	26,016	277	-	\$2000
Gemini Bakery	Gemini	V42	Gas	52	28,292	280	-	\$2000
Hobart	Hobart	HBA-2G	Gas	56	32,321	288	-	\$2000
LBC Bakery Equipment	LBC	LRO-2G	Gas	54	23,485	273	-	\$2000
Revent	Revent	724	Gas	62	26,030	289	-	\$2000
Sveba-Dahlen	Dahlen	V42	Gas	52	28,292	280	-	\$2000
TMB Baking	TMB Baking	XL2	Gas	53	35,890	294	-	\$2000

Note: Data based on applying ASTM F-2093

N/A = Data Not Available

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com

NOTE: List subject to change without notice. Please check the FSTC website for latest version.