

Updated 8/18/10

Qualifying gas steam cooker models must have a tested heavy load potato cooking energy efficiency of 38% utilizing ASTM Standard F1484.

Qualifying electric steam cooker models must have a tested heavy load potato cooking energy efficiency of 50% utilizing ASTM Standard F1484.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Steamer Type	Pan Capacity	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Water Use (gph)	Rebate (per unit)
AccuTemp (www.accutemp.net)	Steam'N'Hold	N6	Boilerless	6 pan	Gas	47	711	139	< 3	\$2,000
AccuTemp (www.accutemp.net)	Steam'N'Hold	P6	Boilerless	6 pan	Gas	47	711	139	< 3	\$2,000
Cleveland (www.clevelandrange.com)	SteamChef 3	22CGT3.1	Boilerless	3 pan	Gas	38	2,800	N/A	N/A	\$2,000
Cleveland (www.clevelandrange.com)	SteamChef 6	22CGT6.1	Boilerless	6 pan	Gas	41	3,000	N/A	N/A	\$2,000
Cleveland (www.clevelandrange.com)	Gemini	24CGA10.2ES	Steam Generator	10 pan	Gas	45	3,711	N/A	N/A	\$2,000
Cleveland (www.clevelandrange.com)	Gemini	24CGA6.2SES	Steam Generator	6 pan	Gas	39	3,709	N/A	N/A	\$2,000
Intek (www.intekllc.com)	Xtreme Steam	XSG	Boilerless	5 pan	Gas	49	7,027	96	< 3.0	\$2,000
Market Forge (www.mfii.com)	Eco Tech Plus	ETP-10G	Steam Generator	10 pan	Gas	40	5,766	182	7.5	\$2,000
Market Forge (www.mfii.com)	Eco Tech Plus	ETP-5G	Steam Generator	5 pan	Gas	40	3,000	91	N/A	\$2,000
Stellar (www.stellarfoodequipment.com)	Sirius II	Sirius 6	Boilerless	6 pan	Gas	45	1,176	84	< 2.0	\$2,000
AccuTemp (www.accutemp.net)	Evolution	E6	Boilerless	6 pan	Electric	61	0.3	N/A	< 1.5	\$1,250
AccuTemp (www.accutemp.net)	Steam'N'Hold	S3	Boilerless	3 pan	Electric	60	0.20	71	< 1.5	\$1,250
AccuTemp (www.accutemp.net)	Steam'N'Hold	S6	Boilerless	6 pan	Electric	69	0.30	97	< 1.5	\$1,250
Blodgett (www.blodgett.com)	SBF-3	SBF-3	Boilerless	3 pan	Electric	63	0.13	N/A	N/A	\$1,250
Blodgett (www.blodgett.com)	SBF-5	SBF-5	Boilerless	5 pan	Electric	68	0.22	N/A	N/A	\$1,250

Note: Data based on applying ASTM F1484

N/A = Data Not Available

Updated 8/18/10

Qualifying gas steam cooker models must have a tested heavy load potato cooking energy efficiency of 38% utilizing ASTM Standard F1484.

Qualifying electric steam cooker models must have a tested heavy load potato cooking energy efficiency of 50% utilizing ASTM Standard F1484.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Steamer Type	Pan Capacity	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Water Use (gph)	Rebate (per unit)
Cleveland (www.clevelandrange.com)	SteamCub	1SCE	Boilerless	5 pan	Electric	71	0.33	84	< 2.5	\$1,250
Cleveland (www.clevelandrange.com)	SteamChef	22CET3.1	Boilerless	3 pan	Electric	67	0.31	N/A	N/A	\$1,250
Cleveland (www.clevelandrange.com)	SteamChef	22CET6.1	Boilerless	6 pan	Electric	64	0.39	N/A	N/A	\$1,250
Crown Food Service Equipment Ltd.	EPX-3	EPX-3	Boilerless	3 pan	Electric	63	0.13	66	< 3.0	\$1,250
Crown Food Service Equipment Ltd.	EPX-5	EPX-5	Boilerless	5 pan	Electric	68	0.22	97	< 3.0	\$1,250
Unified Brands, Inc / Groen (www.unifiedbrands.net)	Vortex	VRC-3E	Boilerless	3 pan	Electric	68	0.11	60	< 2.5	\$1,250
Unified Brands, Inc / Groen (www.unifiedbrands.net)	Vortex	VRC-6E	Boilerless	6 pan	Electric	71	0.20	98	< 2.5	\$1,250
Hobart (www.hobartcorp.com)	HC24 Series	HC24EO3	Boilerless	3 pan	Electric	74	0.26	N/A	0.6	\$1,250
Hobart (www.hobartcorp.com)	HC24 Series	HC24EO5	Boilerless	5 pan	Electric	77	0.38	N/A	0.7	\$1,250
Hobart (www.hobartcorp.com)	HPX Series	HPX3	Boilerless	3 pan	Electric	70	0.30	64	< 2.5	\$1,250
Hobart (www.hobartcorp.com)	HPX Series	HPX5	Boilerless	5 pan	Electric	68	0.50	101	< 2.5	\$1,250
Intek (www.intekllc.com)	Xtreme Steam	XS	Boilerless	6 pan	Electric	74	0.16	110	< 1.5	\$1,250
Intek (www.intekllc.com)	Xtreme Steam	XS4	Boilerless	4 pan	Electric	57	0.30	N/A	< 1.5	\$1,250
Market Forge (www.mfii.com)	Power Plus	3500M	Boiler Based	6 pan	Electric	51	0.62	N/A	14.0	\$1,250

Note: Data based on applying ASTM F1484

N/A = Data Not Available

Updated 8/18/10

Qualifying gas steam cooker models must have a tested heavy load potato cooking energy efficiency of 38% utilizing ASTM Standard F1484.

Qualifying electric steam cooker models must have a tested heavy load potato cooking energy efficiency of 50% utilizing ASTM Standard F1484.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Steamer Type	Pan Capacity	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Water Use (gph)	Rebate (per unit)
Market Forge (www.mfii.com)	ET	ET-3E	Boilerless	3 pan	Electric	68	0.20	63	< 2.0	\$1,250
Market Forge (www.mfii.com)	ET	ET-6E	Boilerless	6 pan	Electric	73	0.20	94	< 2.0	\$1,250
Market Forge (www.mfii.com)	Eco Tech Plus	ETP-10E	Steam Generator	10 pan	Electric	67	0.43	159	5.9	\$1,250
Market Forge (www.mfii.com)	Eco Tech Plus	ETP-5E	Steam Generator	5 pan	Electric	67	0.22	80	N/A	\$1,250
Market Forge (www.mfii.com)	Plus-10	ST-10	Boiler Based	10 pan	Electric	58	0.56	N/A	21.5	\$1,250
Market Forge (www.mfii.com)	Turbo Steam	TS-3E	Boilerless	3 pan	Electric	63	0.13	N/A	< 3	\$1,250
Market Forge (www.mfii.com)	Turbo Steam	TS-5E	Boilerless	5 pan	Electric	68	0.22	N/A	< 3	\$1,250
Solaris/Crown Food Service Equipment	EPX-3	EPX-3	Boilerless	3 pan	Electric	63	0.13	66	< 3.0	\$1,250
Solaris/Crown Food Service Equipment	EPX-5	EPX-5	Boilerless	5 pan	Electric	68	0.22	97	< 3.0	\$1,250
Southbend (www.southbendnc.com)	Simple Steam	EZ-3	Boilerless	3 pan	Electric	69	0.90	61	< 2.5	\$1,250
Southbend (www.southbendnc.com)	Simple Steam	EZ-5	Boilerless	5 pan	Electric	80	0.19	N/A	N/A	\$1,250
Southbend (www.southbendnc.com)	StatoSteam, Manual-Fill	STRE-3EZ	Boilerless	3 pan	Electric	55	0.10	57	<2.5	\$1,250
Southbend (www.southbendnc.com)	StatoSteam, Manual-Fill	STRE-5EZ	Boilerless	5 pan	Electric	57	0.15	77	<2.5	\$1,250
Stellar (www.stellarfoodequipment.com)	Altair II	Altair-6	Boilerless	6 pan	Electric	64	0.65	N/A	< 2.5	\$1,250

Note: Data based on applying ASTM F1484

N/A = Data Not Available

Updated 8/18/10

Qualifying gas steam cooker models must have a tested heavy load potato cooking energy efficiency of 38% utilizing ASTM Standard F1484.

Qualifying electric steam cooker models must have a tested heavy load potato cooking energy efficiency of 50% utilizing ASTM Standard F1484.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Steamer Type	Pan Capacity	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Water Use (gph)	Rebate (per unit)
Stellar (www.stellarfoodequipment.com)	Capella	Capella-4	Boilerless	4 pan	Electric	55	0.20	78	< 2.5	\$1,250
Vulcan (www.vulcanhart.com)	C24 Series	C24EO3	Boilerless	3 pan	Electric	74	0.26	N/A	0.6	\$1,250
Vulcan (www.vulcanhart.com)	C24 Series	C24EO5	Boilerless	5 pan	Electric	77	0.38	N/A	0.7	\$1,250
Vulcan (www.vulcanhart.com)	VPX Series	VPX-3	Boilerless	3 pan	Electric	71	0.33	64	< 2.5	\$1,250
Vulcan (www.vulcanhart.com)	VPX Series	VPX-5	Boilerless	5 pan	Electric	68	0.51	101	< 2.5	\$1,250

Note: Data based on applying ASTM F1484

N/A = Data Not Available